App F IX.

Previous References

ME 158-35-1&6

(1941 / ME)

File No 79-41

Serial Nos 12, 13, 14 & 15

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos

Part B for Feb 1942

SUBJECT

water supply to the office of the Director of Industries & Commerce in Mysore, Bangalore

To,

The Chief Engineer
The Hd Commr B city through the Presidt
The Dy Secy to Govt
The Comptroller
The Secy PWD

L 7558-'62/20-2-42

Approval of the recommendation made by the Chief Engineer in the letter of —

Rees
5/3/42

General and Revenue Secretariat — File No 79 2899/2 of 1941/42 — [App F III—2

Serial No	
	From the Chief Engineer
	No 7708 Dt 15-11-1941
	Requests sanction of Govt to bring the
	office of the Director of Industries and
	Commerce in Bangalore under
	class III of Govt L(144)-9/ML 158 356
"Q"	Dt 3-8-1939 to facilitate the regulation
	of supply of water to that office etc
	At present the office of the
	Director of [illegible] has been brought
	under class I Govt buildings in
	the nature of Industrial & Commercial
	Concerns (non domestic) and the water
	consumed is charged for at Rupee one per
	1000 gallons vide item No 6 in
"Q"	under class I (A) in Statement No I
	attached to Govt Dt 3-8-1939
	It is now requested to bring the said
	office under class III of the above Govt
	(Govt Public buildings) so that the
	water consumed may be charged for
	at annas 8 per 1000 gallons.
	As it would affect the revenues
	of the Bangr Mlgs the ML Commr, may
	perhaps be consulted
	called for orders with references

NOTE—Contn Sheet

WKS 21/11

P T O

WD 04155—GPB—55 000—23 10 41

Office of the Deputy C — to be brought under Class III in Water supply

File No C 2[illegible]9/L of 194 — General and Revenue Secretariat

Serial No

4 The ML Commr may be consulted
8/12 5) A copy of the Chief Engrs letter dated the 13th NOV 41 will be sent to the ML Commr for opinion
Law Secy for 24/11/41

SECY L- of 21 NOV 1941 GOVT OF MYSORE

Hm 25/11/41

6) Apptl for 25/11/41

7) Draft worth a draft letter for apptl
1/12

8) Issue
for 2/12/41

TYPING SEC 2 DEC 1941 SFD

To the ML Commr, Bcity this Dept
No L 4659 Dt 3-12-41
Calls for his opinion in the matter

To the Chief Engineer
No L 4660 Dt 3-12-41
Forwards a copy of the above

Secy A/s

From the ML Commr Bcity, this Dept
No A3 598/41-42 Dt 13-1-42
States that no free allowance of water can be granted.

4) Secy reported by the ML Commr that the office is exempted from all ML taxes

2899 V 4146

General and Revenue Secretariat | File No | of 194 | [App F III—2

Serial No	
"Q"	which is itself a Concession shown by the mgt & that even according to Govt Lr 1447-9/one 158-35-6 & 3-839 the above has been classified as non-domestic
	(b) If agreed, the Chief Engineer will be intimated accordingly & asked for orders. May be sent to Dy C E for remarks
17/1	
	11) For purpose of water supply, the Central Industrial workshop and the Directy of Industries & Commce are treated as one & the non-domestic first buildings and the entire water consumed by them charged at Rs/- per 1000 gallons
	12) The chief Engr states at the instance of the Executive Engr, Water Supply Division, that the above buildings (i) has have now been fed on independent meters and accordingly recommends that the office of the Dir of Ind & Com may be brought under Class III

NOTE—Contd. sheet

A

VD 011 GPB—55 000—23 10 41 3/8/1935

Office of the Dr of Ind & Comm — the U.H.'s brought under class III - Water Supply

File No | of 194 | General and Revenue Secretariat

Serial No

and the water supplied to the Mcc charged at Rs 0/8/- per 1000 gallons without any free supply, as in the case of other buildings

12) The Member who was consulted in the matter has stated that as the Mcc building is exempted from all Municipal taxes which is itself a concession shown by the Mfg, no free allowance of water can be granted. It may be pointed out that no free allowance has been asked for as it was understood by the Commissioner but it is proposed to charge for all water consumed without any free supply at 8 as per 1000 gallons as in the case of buildings (such) brought under class III. The proposal made by the Chief Engr is reasonable & may be approved.

Law Secy
18/1/42

DEWAN'S OFFICE JAN 1942 6544

SECY LAW DEPT 89 10 JAN 1942 GOVT OF MYSORE

13) The proposal of the Chief Engineer may be approved

Minister 15) 26/1 29.1.42

Hm 2 23.1.42

Dewan)

Hm 2 29.1.42

OFFICE OF THE FINANCE & REVENUE 27 JAN 1942 4236

16 Nov

17 Off for Mr 2/Asst 1/2/42 Hm 2/1/42

Water supply to the office of the Dr of Ste 4146 Bangalore

General and Revenue Secretariat ml File No 79 of 194/42 [App F III-2

Serial No

18 Sent with a draft G.O for appl permsl to the Secy also

WP 5/2 5/2/42

SECY LAW DEPT 1107 7 3 0 2 GOVT OF MYSORE

SECY 11 FEB 1942

19) Law Secy) for 7/2/42
for favour of perusal
Dev Secy
M/C)

Hm 11/2/42

WP 11/2/42

21) The draft G.O may be sent to the Minister, L&S for perusal before issue

SECY LAW DEPT 1357 12.23 1942 GOVT OF MYSORE

Law Secy) for 12/2/42

for perusal
22 Minister
L & S)

Hm 16/2/42

OFFICE OF THE MINISTER FOR L S G & P H Date 16.2.42 No 4939

Secy 16 2 42

Hm 17 2 42

Secy for 17/2/42

SECY

15 PO

The Chief Engineer
The M.D Comm
The Dr of Ste
The Comptroller
The Secy to WD
} No L 7558-62 dt 20/2/42

Approves of the recommendation of the Chief Engineer

NOTE—Cont Sheet

MD 04—GPB—51000—2-10-42

File No of 194

General and Revenue Secretariat

Serial No

WD 01085—GPB—5 000—11 10 40

IMMEDIATE

2899/L

From

The Chief Engineer of Mysore
Bangalore

17 NOV 1941
L S G BRANCH

MC 79-41-12

To

The Secretary to Government,
Law Department, Bangalore

SECY L DEPT
17 NOV 1941
GOVT OF MYSORE

Dated Bangalore 13-11-1941
Despatched 13
Received
General No 7708

NO 2021/2
14/11/41

Enclosure No 2

Subject - Water supply to the Office of the Director of Industries and Commerce in Mysore, Bangalore

---

Sir,

I have the honour to forward herewith a copy of letter No 240 dated the 16th --- September 1941 together with copy of its enclosure, received from the Executive ---- Engineer, Water Supply Division, on the above subject and to request you to be so good as to obtain the sanction of Government to ----- bring the above building under Class III of Government Order No L 1447-9/Ml 158-31-6 dated the 31-7/3-8-1939, in the circumstances stated by the Executive Engineer

"Q"

I have the honour to be
Sir,
Your most obedient servant,

for Chief Engineer of Mysore

Letter No 240 dated the 16th September 1941 from the Executive Engineer, Water Supply Division, to the Chief Engineer of Mysore, Bangalore

---

Subject:- Bills for the supply of water made to the Office of the Director of Industries and Commerce in Mysore, for the month of July 1941

I have the honour to state that a bill for an amount of Rs. 92-12-0 for the supply of water made to the above office during the month of July 1941, was forwarded for payment to the Director of Industries & Commerce, who has returned the bills unaccepted requesting to intimate whether there is any Government order claiming the water charges from Government offices etc , (vide copy of letter dated 4th August 1941 enclosed)

"9" Government in their order No L 1447-9/M1 158-31-35-6 dated 31st July - 3rd August 1939 have passed orders classifying the various Government Buildings in the Bangalore City under certain categaries and the supply of water to them regulated as indicated therein

The Central Industrial Workshop and Director of Industries and Commerce Office is classed under class 1(a) Government Buildings (Non-domestic) (Vide item No 6 Statement No.1) and accordingly the bill was framed for the entire water consumed by the office at Re 1/- per 1,000 gallons At the time of the above G O. referred to the connections to the Central Industrial Workshop and the Director's Office were on the same meter and consequently both together were treated as Non-domestic. They have now however been separated and the Director's Office is fed on an independent meter As the office of the Director of Industries and Commerce is purely an administration office, I am of opinion that it has to be treated as a Government Building and brought under class 11(a) and supply has to be charged at a rate of ---

eight annas per 1,000 gallons without any free allowance as in the case of other Government Buildings as per above Government Order

Under these circumstances, I request you to be so good as to obtain sanction of Government in the matter

---

"C O P Y"

For Chief Engineer of Mysore

A K

Letter No E2-181/41-42 dated 4th August 1941, from the Director of Industries and Commerce in Mysore, Bangalore, to the Executive Engineer, Water Supply Division, Bangalore

---

In returning herewith unaccepted Bills No 242-106 M dated 3rd July 1941 for Rs 86-8-0, I have the honour to invite kind reference to this office letter No 2647/2648 dated 25th June 41, requesting you to intimate whether there is any Government Order in regard to claiming water charges from Government office etc , and to request you to kindly arranged to send your reply to enable me to admit the claim

---

"C O P Y"

For Chief Engineer of Mysore

A K

12/11

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L4659/Ex-Three only Dated Bangalore 3rd December 1941

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore

Law Department.

To

The Municipal Commissioner,
Bangalore City, (Through the President)

Sir,

I am directed to forward herewith a copy of letter No 7708 dated 15/15th November 1941 received from the Chief Engineer together with the copies of its enclosure in the matter of the supply of water to the office of the Director of Industries and Commerce in Mysore, Bangalore, and to request you to be so good as to furnish your opinion in the matter at an early date

I have the honour to be,
Sir,
Your most obedient servant,

Sd H V Narayana Rao

Secretary to Government,
Law Department

Agra/3
Memo No L4660 Dated, Bangalore the 3rd December 1941

Copy of the above is forwarded with compliments to the Chief Engineer of Mysore for information with reference to his lette- No 7708 dated ~~xxxxxxx~~ 15th/15th November 1941

By Order,

(Draft)

For Secretary to Government,
Law Department.

Appendix F G—1]

SUBJECT

3 J

Section RG
File No 79-41
Serial No 13

Diary No of letter replied to

General and Revenue Secretariat

( )

the *19*

Date of issue 3rd Dec. '41

Signed by H.V.C. Ramachandra
for Secretary to Govt

List of enclosures

Copied by

Examined by

No L4659-A/Cor: Three sets

To The Secretary to Govt, Revenue Dept, Bangalore

Sir,

I am directed to forward herewith a copy of letter No 7708 D/ 13/15-11-1941 received from the Chief Engineer together with the copies of its enclosure in the matter of the Supply of water to the office of the Director of Industries & Commerce Mysore, Bangalore and to request you to be so good as to furnish your opinion in the matter at an early date.

I have etc

Memorandum L4660 dated 3rd Dec 1941 for copy M/C to the Chief Engineer, Mysore, Bangalore for information vide his letter No 7708 dated 13-11-1941.

Secretary to Govt
Revenue Dept
1/12

WP0086—GPB—40 000—30 7 40

BANGALORE CITY MUNICIPALITY

4146/L

No A3 598/41-42

Encl

MUNICIPAL OFFICES

Bangalore 13th January 1942

MU 79-A—14





From

ABDUL AZIZ KHAN Esq B A
MUNICIPAL COMMISSIONER
BANGALORE CITY

To

H V Narayana Rao, Esq, B A, LL B,
Secretary to the Government
of His Highness the Maharaja of Mysore
Law Department Bangaloi e

Sir

With reference to your letter No L 4659 dated 3-12-1941, requesting to furnish my opinion in the matter of supply of water to the office of the Director of Industries and Commerce, I have the honour to state that the office is exempted from all Municipal taxes which is itself a concession shown by the Municipality Even according to Government Order No L 1447-9/Ml.158-35-6 dated 3-8-1939 it has been classified as non-domestic The Municipal Council are paying heavy excess water charges to Government and further the Subvention grant to the Municipality by Government has been lately stopped

"(3)"

It is, therefore, regretted that in the interest of Municipal revenue no free allowance of water can be granted

I have the honour to be,
S i r,
Your most obedient servant,

Municipal Commissioner

Forwarded with compliments

K Hanumantaiya

Honorary President

svs

G R. S App F VI—G 2]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Proceedings of the Government of His Highness the Maharaja of Mysore

Section ml

File No 79-41

Serial No 15

Date of issue 20th July 1942

"Q"

Signed by Mr. G. Ramachandra

May this be printed?

(ii) treated as a standing order?

(iii) published in the Gazette English Part?

(iv) translated?

(v) placed at the disposal of the press?

(vi) published in the Gazette Kannada Part?

Read—

GO No DL 1447-9/ml 158 35 E Dy 3-8 1939 passing orders for regulating the water supply to Govt buildings in Bangalore City, & directing

2) Letter No 7708 Dy 15-11-41 from the Chief Engineer requesting sanction to bring the office of the Director of Industries and Commerce in Bangalore under class III of the GO read above to facilitate the regulation of supply of water to the office

3) Letter No A3 598/41-42 Dy

under class I(A), Govt Buildings, Bangalore and the entire water consumed is charged at Re 1/- a thousand gallons

so that the water consumed by the said office be charged at annas eight a thousand gallons for the reason that, the office has since been equipped with a separate meter independent of that of the workshop & which is an office of administration like other Govt offices

Correspondence ending with

13-1-42 from the ml Commr Bcy; furnishing his opin
on the ~~subject~~ matter

Order no

At present for purposes of water
supply, the Central Industrial
workshop and the offices of the
Dr of Dtc are treated as non-domestic
Govt buildings and the entire
water consumed by them is charged for
at Rupee one per 1000 gallons
The Chief Engineer ~~states~~
that at the instance of the
Executive Engineer, water supply from
the above buildings have now
been fed on independent meters
and accordingly recommends
that the offices of the Dr of Dtc
may be brought under class
III of Govt Dy 3/8/1939 & that the
water supplied to the said offices
be charged for at annas eight per
1000 gallons without any

List of Enclosures

Copied by

Examined by

R S App F G 3

GFNERAL AND REVENUE SECRETARIAT

(*Continuation sheet draft form*

free allowance as in the case of other Govt buildings

Mr ml Comm^r who was consulted on the C E's proposal stated that, as the office of the Dep^y Sec^y is exempt from all ml taxes, which is solely a concession shown by the ml^y, no free allowance of water can be granted to the said building

Govt wish to point out that no free allowance of water is asked for, as presumed by the ml Comm^r, but that it is proposed to charge for all the water consumed, without any free supply, as annas eight per 1000 gallons as in the case of other Govt buildings classified under class III of the Govt Dy 3-8 39.

Govt always agree with the Chief Engineer and are pleased to

approve of the Boards recommendation
made by him

for Secy to Board
WKB 5/2 Law Dept

To The Chief Engineer
The Md Comm Bldgs, thro Pob
The Dr of D.C.
The Comptroller
The Secy P W B
Copy to Mr Le Br

GB 5/2

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

Read —

Government Order No L 1447-9/M1 158-35-6 dated 3rd August 1939 passing orders for regulating the water supply to Government Buildings in Bangalore City and directing inter alia that the Central Industrial Workshop and the Office of the Director of Industries and Commerce be classified under Class I(A), Government Buildings, non-domestic and the entire water consumed by by both of them charged at Re 1/- a thousand gallons

2) Letter No 7708 dated 15th November 1941 from the Chief Engineer requesting sanction to bring the office of the Director of Industries and Commerce in Bangalore under Class III of the Government Order read above so that the water consumed by the said office be charged at annas eight a thousand gallons for the reason that,(1) the office has since been equipped with a separate meter independent of that of the Central Industrial Workshop and (2) that it is an office of administration like other Government Offices

3) Correspondence ending with letter No A3 598/41-42 dated 13th January 1942 from the Municipal Commissioner, Bangalore City, furnishing his opinion in the matter

*****

Order No 7558-62/MC 79-41-15

Dated, Bangalore, 20th February 1942

At present for purposes of water supply, the Central Industrial Workshop and the office of the Director of

bv.8.

Industries and Commerce are treated as non-domestic Government Buildings and the entire water consumed by them is charged for at rupee one per 1000 gallons. The Municipal Commissioner who was consulted on the Chief Engineer's proposal has stated that, as the office of the Director of Industries and Commerce is exempt from all Municipal taxes a concession in itself shown by the Municipality, no free allowance of water can be granted to the said building Government wish to point out that no free allowance of water is asked for as presumed by the Municipal Commissioner but that it is only proposed to charge for all the water consumed, without any free supply, at annas eight per 1000 gallons, as in the case of other Government Buildings classified under Class III of the Government Order dated 3rd August 1939 Government accordingly agree with the Chief Engineer and are pleased to approve of the recommendation made by him

/-Ramachandra Rao
for Secretary to Government
Law Department.

To--The Chief Engineer of Mysore
The Municipal Commissioner, Bangalore City, through the President
The Director of Industries and Commerce in Mysore
The Comptroller to Government
The Secretary, Public Works Department

---

bv.8.